BRAIN RESEARCH
MOLECULAR BRAIN RESEARCH

VOL. 35 NOS. 1,2 **CONTENTS** **JANUARY 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Research reports

Correlation between increased AP-1_{NGF} binding activity and induction of nerve growth factor transcription by multiple signal transduction pathways in C6-2B glioma cells
A.M. Colangelo, L. Pani and I. Mocchetti (USA, Italy) 1

Developmental expression of functional $GABA_A$ receptors containing the $\gamma 2$ subunit in neurons derived from embryonal carcinoma (P19) cells
J.N. Reynolds, A. Prasad, L.L. Gillespie and G.D. Paterno (Canada) 11

Gamma-radiation-induced cell death in the fetal rat brain possesses molecular characteristics of apoptosis and is associated with specific messenger RNA elevations
A.E. Borovitskaya, V.I. Evtushenko and S.L. Sabol (USA, Russia) 19

Molecular cloning of novel leucine-rich repeat proteins and their expression in the developing mouse nervous system
A. Taguchi, A. Wanaka, T. Mori, K. Matsumoto, Y. Imai, T. Tagaki and M. Tohyama (Japan) 31

Alpha$_2$ noradrenoceptors in the anterior piriform cortex decline with acute amino acid deficiency
D.W. Gietzen and M. Jhanwar-Uniyal (USA) 41

Developmental expression in the mouse nervous system of the $p49^{3F12}$ SAP kinase
J.H. Martin, A.A. Mohit and C.A. Miller (USA) 47

Production and increased detection of amyloid β protein and amyloidogenic fragments in brain microvessels, meningeal vessels and choroid plexus in Alzheimer's disease
R.N. Kalaria, D.R.D. Premkumar, A.B. Pax, D.L. Cohen and I. Lieberburg (USA) 58

Amphetamine and vigabatrin down regulate aromatic L-amino acid decarboxylase mRNA levels
P.R. Buckland, G. Spurlock and P. McGuffin (UK) 69

Hippocampal somatostatin receptors and modulation of adenylyl cyclase activity in histamine-treated rats
L. Puebla, E. Rodríguez-Martín and E. Arilla (Spain) 77

Altered brain sodium channel transcript levels in human epilepsy
A.J. Lombardo, R. Kuzniecky, R.E. Powers and G.B. Brown (USA) 84

Altered expression of γ_{2L} and γ_{2S} $GABA_A$ receptor subunits in the aging rat brain
A. Gutiérrez, Z.U. Khan, C.P. Miralles and A.L. De Blas (USA) 91

Regulation of somatostatin gene expression by veratridine-induced depolarization in cultured fetal cerebrocortical cells
R.M. Tolón, F. Sánchez-Franco, J. López Fernández, M.J. Lorenzo, G. Fernández Vázquez and L. Cacicedo (Spain) 103

Regulation of actin and tubulin gene expression by thyroid hormone during rat brain development
R. Poddar, S. Paul, S. Chaudhury and P.K. Sarkar (India) 111

Characterization of two fish glutamate receptor cDNA molecules: absence of RNA editing at the Q/R site
S.-S. Kung, Y.-M. Wu and W.-Y. Chow (Taiwan, ROC) 119

Sex differences in androgen receptor mRNA levels and regulation in hamster facial motoneurons
S.M. Drengler, R.J. Handa and K.J. Jones (USA) 131

Localization of urokinase-type plasminogen activator mRNA in the adult mouse brain
T. Masos and R. Miskin (Israel) 139

MARCKS and protein F1/GAP-43 mRNA in chick brain: effects of imprinting
P.J. Meberg, B.J. McCabe and A. Routtenberg (USA, UK) 149

Expression of the proenkephalin A gene in organotypic cultures of neocortex from newborn rats
L. Just, C. Olenik, B. Heimrich and D.K. Meyer (Germany) 157

Promoter elements and second messenger pathways involved in transcriptional activation of tyrosine hydroxylase by ionomycin
B. Nankova, B. Hiremagalur, A. Menezes, R. Zeman and E. Sabban (USA) 164

Distinct structure-activity relations for stimulation of ^{45}Ca uptake and for high affinity binding in cultured rat dorsal root ganglion neurons and dorsal root ganglion membranes
G. Acs, J. Lee, V.E. Marquez and P.M. Blumberg (USA) 173

Caffeine-induced expression of c-*fos* mRNA and NGFI-A mRNA in caudate putamen and in nucleus accumbens are differentially affected by the *N*-methyl-D-aspartate receptor antagonist MK-801
P. Svenningsson, B. Johansson and B.B. Fredholm (Sweden) 183

Circadian variation of EAAC1 glutamate transporter messenger RNA in the rat suprachiasmatic nuclei
F.R.A. Cagampang, M. Rattray, J.F. Powell, N.W.S. Chong, I.C. Campbell and C.W. Coen (UK) 190

(contents continued on p. 363)

0169-328X(199601)35:1/2;1-M

BRAIN RESEARCH
MOLECULAR BRAIN RESEARCH

VOL. 35 NOS. 1,2 **CONTENTS** **JANUARY 1996**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Research reports

Correlation between increased AP-1_{NGF} binding activity and induction of nerve growth factor transcription by multiple signal transduction pathways in C6-2B glioma cells
A.M. Colangelo, L. Pani and I. Mocchetti (USA, Italy) 1

Developmental expression of functional $GABA_A$ receptors containing the $\gamma 2$ subunit in neurons derived from embryonal carcinoma (P19) cells
J.N. Reynolds, A. Prasad, L.L. Gillespie and G.D. Paterno (Canada) 11

Gamma-radiation-induced cell death in the fetal rat brain possesses molecular characteristics of apoptosis and is associated with specific messenger RNA elevations
A.E. Borovitskaya, V.I. Evtushenko and S.L. Sabol (USA, Russia) 19

Molecular cloning of novel leucine-rich repeat proteins and their expression in the developing mouse nervous system
A. Taguchi, A. Wanaka, T. Mori, K. Matsumoto, Y. Imai, T. Tagaki and M. Tohyama (Japan) 31

Alpha$_2$ noradrenoceptors in the anterior piriform cortex decline with acute amino acid deficiency
D.W. Gietzen and M. Jhanwar-Uniyal (USA) 41

Developmental expression in the mouse nervous system of the $p49^{3F12}$ SAP kinase
J.H. Martin, A.A. Mohit and C.A. Miller (USA) 47

Production and increased detection of amyloid β protein and amyloidogenic fragments in brain microvessels, meningeal vessels and choroid plexus in Alzheimer's disease
R.N. Kalaria, D.R.D. Premkumar, A.B. Pax, D.L. Cohen and I. Lieberburg (USA) 58

Amphetamine and vigabatrin down regulate aromatic L-amino acid decarboxylase mRNA levels
P.R. Buckland, G. Spurlock and P. McGuffin (UK) 69

Hippocampal somatostatin receptors and modulation of adenylyl cyclase activity in histamine-treated rats
L. Puebla, E. Rodríguez-Martín and E. Arilla (Spain) 77

Altered brain sodium channel transcript levels in human epilepsy
A.J. Lombardo, R. Kuzniecky, R.E. Powers and G.B. Brown (USA) 84

Altered expression of γ_{2L} and γ_{2S} $GABA_A$ receptor subunits in the aging rat brain
A. Gutiérrez, Z.U. Khan, C.P. Miralles and A.L. De Blas (USA) 91

Regulation of somatostatin gene expression by veratridine-induced depolarization in cultured fetal cerebrocortical cells
R.M. Tolón, F. Sánchez-Franco, J. López Fernández, M.J. Lorenzo, G. Fernández Vázquez and L. Cacicedo (Spain) 103

Regulation of actin and tubulin gene expression by thyroid hormone during rat brain development
R. Poddar, S. Paul, S. Chaudhury and P.K. Sarkar (India) 111

Characterization of two fish glutamate receptor cDNA molecules: absence of RNA editing at the Q/R site
S.-S. Kung, Y.-M. Wu and W.-Y. Chow (Taiwan, ROC) 119

Sex differences in androgen receptor mRNA levels and regulation in hamster facial motoneurons
S.M. Drengler, R.J. Handa and K.J. Jones (USA) 131

Localization of urokinase-type plasminogen activator mRNA in the adult mouse brain
T. Masos and R. Miskin (Israel) 139

MARCKS and protein F1/GAP-43 mRNA in chick brain: effects of imprinting
P.J. Meberg, B.J. McCabe and A. Routtenberg (USA, UK) 149

Expression of the proenkephalin A gene in organotypic cultures of neocortex from newborn rats
L. Just, C. Olenik, B. Heimrich and D.K. Meyer (Germany) 157

Promoter elements and second messenger pathways involved in transcriptional activation of tyrosine hydroxylase by ionomycin
B. Nankova, B. Hiremagalur, A. Menezes, R. Zeman and E. Sabban (USA) 164

Distinct structure-activity relations for stimulation of ^{45}Ca uptake and for high affinity binding in cultured rat dorsal root ganglion neurons and dorsal root ganglion membranes
G. Acs, J. Lee, V.E. Marquez and P.M. Blumberg (USA) 173

Caffeine-induced expression of c-*fos* mRNA and NGFI-A mRNA in caudate putamen and in nucleus accumbens are differentially affected by the *N*-methyl-D-aspartate receptor antagonist MK-801
P. Svenningsson, B. Johansson and B.B. Fredholm (Sweden) 183

Circadian variation of EAAC1 glutamate transporter messenger RNA in the rat suprachiasmatic nuclei
F.R.A. Cagampang, M. Rattray, J.F. Powell, N.W.S. Chong, I.C. Campbell and C.W. Coen (UK) 190

(contents continued on p. 363)

0169-328X(199601)35:1/2;1-M

(contents continued)

Dopaminergic regulation of striatonigral tachykinin and dynorphin gene expression: a study with the dopamine uptake inhibitor GBR-12909
S.P. Sivam (USA) 197

The human glycine receptor β subunit: primary structure, functional characterisation and chromosomal localisation of the human and murine genes
C.A. Handford, J.W. Lynch, E. Baker, G.C. Webb, J.H. Ford, G.R. Sutherland and P.R. Schofield (Australia) 211

Evidence for the involvement of non-androgenic testicular factors in the regulation of hypothalamic somatostatin and GHRH mRNA levels
F. Lago, R.M. Señarís, P.C. Emson, F. Domínguez and C. Diéguez (Spain, UK) 220

A herpes simplex virus-1 vector containing the rat tyrosine hydroxylase promoter directs cell type-specific expression of beta-galactosidase in cultured rat peripheral neurons
Y.J. Oh, M. Moffat, S. Wong, D. Ullrey, A.I. Geller and K.L. O'Malley (USA) 227

The effects of D_1 or D_2 dopamine receptor blockade on *zif/268* and preprodynorphin gene expression in rat forebrain following a short-term cocaine binge
J.B. Daunais and J.F. McGinty (USA) 237

Neuropeptide Y gene expression and receptor autoradiography in hypertensive and normotensive rat brain
K.J. McLean, B. Jarrott and A.J. Lawrence (Australia) 249

Changes in expression of lymphocyte amyloid precursor protein mRNA isoforms in normal aging and Alzheimer's disease
R.P. Ebstein, L. Nemanov, G. Lubarski, M. Dano, T. Trevis and A.D. Korczyn (Israel) 260

Differential expression of α-CGRP and β-CGRP genes within hypoglossal motoneurons in response to axotomy
M. Sarasa, J. Terrado, G. Mengod, S. Climent, P. Muniesa and J.M. Palacios (Spain) 269

Changes in cholecystokinin mRNA expression after amygdala kindled seizures: an in situ hybridization study
L.-X. Zhang, M.A. Smith, S.-Y. Kim, J.B. Rosen, S.R.B. Weiss and R.M. Post (USA) 278

The RNA binding protein HuD: rat cDNA and analysis of the alternative spliced mRNA in neuronal differentiating cell lines P19 and PC12
U. Steller, S. Kohls, B. Müller, R. Söller, R. Müller, J. Schlender and D.H. Blohm (Germany) 285

Anesthesia during hormone administration abolishes the estrogen induction of preproenkephalin mRNA in ventromedial hypothalamus of female rats
V. Quiñones-Jenab, C. Zhang, S. Jenab, H.E. Brown and D.W. Pfaff (USA) 297

Short communications

The helix-loop-helix transcription factor USF interacts with the basal promoter of human amyloid precursor protein
M. Bourbonnière and J. Nalbantoglu (Canada) 304

Antisense oligonucleotide to NOR-1. a novel orphan nuclear receptor, induces migration and neurite extension of cultured forebrain cells
N. Ohkura, M. Hijikuro and K. Miki (Japan) 309

Induction of SPI-3 mRNA, encoding a serine protease inhibitor, in gerbil hippocampus after transient forebrain ischemia
M. Tsuda, K. Kitagawa, K. Imaizumi, A. Wanaka, M. Tohyama and T. Takagi (Japan) 314

Expression of Na^+/*myo*-inositol cotransporter mRNA in the inner ear of the rat
Y. Minami, S. Shimada, K. Inoue, H. Morimura, A. Miyai, A. Yamauchi, T. Matsunaga and M. Tohyama (Japan) 319

Heat shock factor-1 mediates the transcriptional activation of Alzheimer's β-amyloid precursor protein gene in response to stress
N.N. Dewji and C. Do (USA) 325

Expression of tachykinin NK1 receptor mRNA in dorsal root ganglia of the mouse
T. Andoh, T. Nagasawa and Y. Kuraishi (Japan) 329

Expression of Na^+/ *myo*-inositol cotransporter mRNA in normal and hypertonic stress rat eyes
H. Morimura, S. Shimada, Y. Otori, A. Yamauchi, Y. Minami, K. Inoue, A. Miyai, I. Ishimoto, Y. Tano and M. Tohyama (Japan) 333

Induction of PGH synthase and c-*fos* mRNA during early reperfusion of ischemic rat brain
M.L. Holtz, M.S. Kindy, S. Craddock, R.W. Moore and L.C. Pettigrew (USA) 339

Improved lipid-mediated gene transfer into primary cultures of hippocampal neurons
S. Kaech, J.B. Kim, M. Cariola and E. Ralston (USA) 344

Repeated ECS induces GluR1 mRNA but not NMDAR1A–G mRNA in the rat hippocampus
P. Naylor, C.A. Stewart, S.R. Wright, R.C.A. Pearson and I.C. Reid (UK) 349

Identification and partial characterization of the high-affinity choline carrier from rat brain striatum
R.J. Rylett, S.A. Walters and W. Davis (Canada) 354

Corrigendum

Chronic buspirone treatment differentially regulates 5-HT_{1A} and 5-HT_{2A} receptor mRNA and binding sites in various regions of the rat hippocampus (Mol. Brain Res. 32 (1995) 348–353)
H. Chen, L. Zhang, D.R. Rubinow and D.-M. Chuang (USA) 359

Author index 360